

Protein Series References

Researched and Composed by Jacob Wilson, BSc. (Hons), MSc. CSCS

References

Tipton KD, Ferrando AA, Phillips SM, Doyle D Jr, and Wolfe RR. Postexercise net protein synthesis in human muscle from orally administered amino acids. *Am J Physiol Endocrinol Metab* 276: E628–E634, 1999.

Knowlden, A. A Scientific Investigation into the Rationality of Post Workout Carbohydrate Consumption. *Journal of Hyperplasia Research* (4): 1-30

Biolo, G., Fleming, R. Y. & Wolfe, R. R. (1995) Physiologic hyperinsulinemia stimulates protein synthesis and enhances transport of selected amino acids in human skeletal muscle. *J. Clin. Invest.* 95:811-819.

Crozier, j. Scot R. Kimball, Sans W. Emmert, Joshua C. Anthony, and Leonard S. Jefferson Oral Leucine Administration Stimulates Protein Synthesis in Rat Skeletal Muscle *J. Nutr.* 2005 135: 376-382.

Garlick J. The Role of Leucine in the Regulation of Protein Metabolism

J. Nutr. 2005 135: 1553S-1556S.

Biolo, G., Williams, B. D., Fleming, R. Y. & Wolfe, R. R. (1999) Insulin action on muscle protein kinetics and amino acid transport during recovery after resistance exercise. *Diabetes* 48:949-957

Hillier, T. A., Fryburg, D. A., Jahn, L. A. & Barrett, E. J. (1998) Extreme hyperinsulinemia unmasks insulin effect to stimulate protein synthesis in the human forearm. *Am. J. Physiol.* 274:E1067-E1074

Boirie, Pierre Gachon, Nathalie Cordat, Patrick Ritz, and Bernard Beaufrère

Differential Insulin Sensitivities of Glucose, Amino Acid, and Albumin Metabolism in Elderly Men and Women

J. Clin. Endocrinol. Metab., Feb 2001; 86: 638 - 644.

René Koopman, Anton J. M. Wagenmakers, Ralph J. F. Manders, Antoine H. G. Zorenc, Joan M. G. Senden, Marchel Gorselink, Hans A. Keizer, and Luc J. C. van Loon

Combined ingestion of protein and free leucine with carbohydrate increases postexercise muscle protein synthesis in vivo in male subjects

Am J Physiol Endocrinol Metab, Apr 2005; 288: E645 - E653.

Volpi, Bettina Mittendorfer, Blake B. Rasmussen, and Robert R. Wolfe

The Response of Muscle Protein Anabolism to Combined Hyperaminoacidemia and Glucose-Induced Hyperinsulinemia Is Impaired in the Elderly

J. Clin. Endocrinol. Metab. 85: 4481-4490, doi:10.1210/jc.85.12.448

Hickson RC, Rosenkoetter MA. Reduced training frequencies and maintenance of increased aerobic power. Med. Sci. Sports Exerc. 13:13-16, 1981.

Hickson RC, Kanakis C Jr, Davis JR, Moore AM, Rich S. Reduced training duration effects on aerobic power, endurance, and cardiac growth. J. Appl. Physiol. 53:225-229, 1982.

Hickson RC, Foster C, Pollock ML, Galassi TM, Rich S. Reduced training intensities and loss of aerobic power,

Jacobs, I., P. Kaiser, and P. Tesch. Muscle strength and fatigue after selective glycogen depletion in human skeletal muscle fibers. Eur. J. Appl. Physiol. 46:47-53. 1981

McCargar, L. J., Clandinin, M. T., Belcastro, A. N. & Walker, K. (1989) Dietary carbohydrate-to-fat ratio: influence on whole-body nitrogen retention, substrate utilization, and hormone response in healthy male subjects. Am. J. Clin. Nutr. 49: 1169-1178.

Bohé J, Low JF, Wolfe RR, and Rennie MJ. Latency and duration of stimulation of human muscle protein synthesis during continuous infusion of amino acids. *J Physiol* 532: 575-579, 2001

Ha E, Zemel MB. Functional properties of whey, whey components, and essential amino acids: mechanisms underlying health benefits for active people (review). *J Nutr Biochem*. 2003 May;14(5):251-8.

BoheJ, Low A, Wolfe RR, and Rennie MJ. Human muscle protein synthesis is modulated by extracellular, not intramuscular amino acid availability: a dose-response study. *J Physiol* 552: 315-324, 2003.

Tome, Daniel, Bos, Cecile Dietary Protein and Nitrogen Utilization *J. Nutr.* 2000 130: 1868S-1873

Fouillet, Helene, Mariotti, Francois, Gaudichon, Claire, Bos, Cecile, Tome, Daniel

Peripheral and Splanchnic Metabolism of Dietary Nitrogen Are Differently Affected by the Protein Source in Humans as Assessed by Compartmental Modeling

J. Nutr. 2002 132: 125-133

Martinez, J. A., Goena, M., Santidrian, S. & Larralde, J. (1987) Response of muscle, liver and whole-body protein turnover to two different sources of protein in growing rats. *Ann. Nutr. Metab.* 31:146-153

Lecavalier, L., De Feo, P. & Haymond, M. W. (1991) Isolated hypoisoleucinemia impairs whole body but not hepatic protein synthesis in humans. *Am. J. Physiol.* 261:E578-E586

Biolo G, Tessari P. Splanchnic versus whole-body production of alpha-ketoisocaproate from leucine in the fed state. *Metabolism.* 1997 Feb;46(2):164-7.

Gertjan Schaafsma The Protein Digestibility–Corrected Amino Acid Score
J. Nutr. 2000 130: 1865S-1867S.

P. Reeds, G. Schaafsma, D. Tomé, and V. Young Summary of the Workshop with Recommendations *J. Nutr.* 2000 130: 1874S-1876S

Chiang AN, Huang PC. Excess energy and nitrogen balance at protein intakes above the requirement level in young men. *Am J Clin Nutr* 1988 Oct;48(4):1015-22

Garza C, Scrimshaw NS, Young VR. Human protein requirements: the effect of variations in energy intake within the maintenance range. *Am J Clin Nutr.* 1976 Mar;29(3):280-7

Wayne W Campbell, Marvin L Barton, Jr, Deanna Cyr-Campbell, Stephanie L Davey, John L Beard, Gianni Parise, and William J Evans

Effects of an omnivorous diet compared with a lactoovovegetarian diet on resistance-training-induced changes in body composition and skeletal muscle in older men. *Am. J. Clinical Nutrition*, Dec 1999; 70: 1032 - 1039.

Millward, DJ, and Rivers JP. (1988) The nutritional role of indispensable amino acids and the metabolic basis for their requirements. *Eur J Clin Nutr* 42: 367-393

Wolfe RR , & Miller SL (1999). Amino acid availability controls muscle protein metabolism. *Diabetes Nutr Metab* 12, 322-328

Tipton, KD, Gurkin BE, Matin S, and Wolfe RR. Nonessential amino acids are not necessary to stimulate net muscle protein synthesis in healthy volunteers. *J Nutr Biochem* 10: 89-95, 1999

Borsheim E, Tipton KD, Wolf SE, Wolfe RR. (2002) Essential amino acids and muscle protein recovery from resistance exercise. *Am J Physiol Endocrinol Metab.* 283(4):E648-57.

Volpi E, Sheffield-Moore M, Rasmussen BB, and Wolfe RR. (2001) Basal muscle amino acid kinetics and protein synthesis in healthy young and older men. *JAMA* 286: 1206 - 1212.

Ha E, Zemel MB. Functional properties of whey, whey components, and essential amino acids: mechanisms underlying health benefits for active people (review). *J Nutr Biochem*. 2003 May; 14(5): 251-8.

Michael J. Rennie Grandad, it ain't what you eat, it depends when you eat it - that's how muscles grow! *J Physiol (Lond)* 2001 535: 2

Esmarck, J. L. Andersen, S. Olsen, E. A. Richter, M. Mizuno, and M. Kjær Timing of postexercise protein intake is important for muscle hypertrophy with resistance training in elderly humans *Physiol (Lond)* 2001 535: 301-311.

PHILLIPS S. M., TIPTON, K. D., AARSLAND, A., WOLF, S. E. & WOLFE, R. R. (1997). Mixed muscle protein synthesis and breakdown after resistance exercise in humans. *American Journal of Physiology* 273, E99-107

Biolo G, Tipton KD, Klein S, Wolfe RR. An abundant supply of amino acids enhances the metabolic effect of exercise on muscle protein. *Am J Physiol*. 1997 Jul; 273(1 Pt 1): E122-9.

Poehlman ET, Dvorak RV, DeNino WF, Brochu M, and Ades PA. Effects of resistance training and endurance training on insulin sensitivity in non-obese, young women: a controlled randomized trial. *J Clin Endocrinol Metab* 85: 2463–2468, 2000.

Dipietro L, Dziura J, Yeckel CW, Neuffer PD. Exercise and improved insulin sensitivity in older women: evidence of the enduring benefits of higher intensity training. *J Appl Physiol*. 2006 Jan; 100(1): 142-9. Epub 2005 Sep 1.

Levenhagen DK, Gresham JD, Carlson MG, Maron DJ, Borel MJ, and Flakoll PJ. Postexercise nutrient intake timing in humans is critical to recovery of leg glucose and protein homeostasis. *Am J Physiol Endocrinol Metab* 280: E982–E993, 2001.

Tipton KD, Rasmussen BB, Miller SL, Wolf SE, Owens-Stovall SK, Petrini BE, and Wolfe RR. Timing of amino acid-carbohydrate ingestion alters anabolic response of muscle to resistance exercise. *Am J Physiol Endocrinol Metab* 281: E197–E206, 2001.

Miller SL, Tipton KD, Chinkes DL, Wolf SE, Wolfe RR: Independent and combined effects of amino acids and glucose after resistance exercise. *Med Sci Sports Exerc* 35: 449–455, 2003.

Stuart M. Phillips, PhD, FACN, Joseph W. Hartman, MSc, and Sarah B. Wilkinson, MSc Dietary Protein to Support Anabolism with Resistance Exercise in Young Men *Journal of the American College of Nutrition*, Vol. 24, No. 2, 134S–139S (2005)

Fouillet H, Mariotti F, Gaudichon C, Bos C, Tome D Peripheral and splanchnic metabolism of dietary nitrogen are differently affected by the protein source in humans as assessed by compartmental modeling. *J Nutr*. 2002 Jan; 132(1): 125-33.

Layman DK, Baum JI. Influence of the protein digestion rate on protein turnover in young and elderly subjects. *J Nutr*. 2002 Oct; 132(10): 3228S-33S.

- Dangin M, Boirie Y, Guillet C, Beaufrere B. Influence of the protein digestion rate on protein turnover in young and elderly subjects. *J Nutr.* 2002 Oct;132(10):3228S-33S.
- Bohé J, Low JF, Wolfe RR & Rennie MJ (2001). Latency and duration of stimulation of human muscle protein synthesis during continuous infusion of amino acids. *J Physiol* 532, 575–579.
- Boirie, Y., Dangin, M., Gachon, P., Vasson, M. P., Maubois, J. L. & Beaufrère, B. (1997) Slow and fast dietary proteins differently modulate postprandial protein accretion. *Proc. Natl. Acad. Sci. USA* 94:14930-14935.
- Daniel, H., Vohwinkel, M. & Rehner, G. (1990) Effect of casein and β -casomorphins on gastrointestinal motility in rats. *J. Nutr.* 120:252-257.
- Fouillet H, Mariotti F, Gaudichon C, Bos C, Tome D. Peripheral and splanchnic metabolism of dietary nitrogen are differently affected by the protein source in humans as assessed by compartmental modeling. *J Nutr* 2002;132:125–33
- Layman and Baum Dietary Protein Impact on Glycemic Control during Weight Loss The American Society for Nutritional Sciences *J. Nutr.* 134:968S-973S, April 2004
- Dangin, M., Y. Boirie, C. Garcia-Rodenas, P. Gachon, J. Fauquant, P. Callier, O. Ballevre, and B. Beaufrere. The digestion rate of protein is an independent regulating factor of postprandial protein retention. *Am. J. Physiol. Endocrinol. Metab.* 280:E340–E348. 2001
- Paddon-Jones, D. Melinda Sheffield-Moore, Asle Aarstrand, Robert R. Wolfe, and Arny A. Ferrando. (2005) Exogenous amino acids stimulate human muscle anabolism without interfering with the response to mixed meal ingestion *Am J Physiol Endocrinol Metab*, 288: E761 - E767.
- TIPTON, KEVIN D.; ELLIOTT, TABATHA A.; CREE, MELANIE G.; WOLF, STEVEN E.; SANFORD, ARTHUR P.; WOLFE, ROBERT R. Ingestion of Casein and Whey Proteins Result in Muscle Anabolism after Resistance Exercise. *Medicine & Science in Sports & Exercise.* 36(12):2073-2081, December 2004.
- Nair KS, Halliday D & Griggs RC (1988). Leucine incorporation into mixed skeletal muscle protein in humans. *Am J Physiol* 254, E208-213
- De Feo P, Volpi E, Lucidi P, Cruciani G, Reboldi G, Siepi D, Mannarino E, Santeusanio F, Brunetti P, and Bolli GB. Physiological increments in plasma insulin concentrations have selective and different effects on synthesis of hepatic proteins in normal humans. *Diabetes* 42: 995–1002, 1993.
- Daenzer, M., Petzke, K. J., Bequette, B. J. & Metges, C. C. (2001) Whole-body nitrogen and splanchnic amino acid metabolism differs in rats fed mixed diets containing casein or its corresponding amino acid mixture. *J. Nutr.* 131:1965-1972

Ingwall JS. Creatine and the control of muscle-specific protein synthesis in cardiac and skeletal muscle. *Circ Res.* 1976 May;38(5 Suppl 1):1115-23.

Wolfe, R. R. (2002) Regulation of muscle protein by amino acids. *J. Nutr.* 132:3219S-3224S

Wolfe, R.R. (2000). Protein supplements and exercise. *American Journal of Clinical Nutrition*, 72, 551S-557S.

Burke, DA, Chilibeck PD, Davison KS, Candow DG, Farthing J, and Smith-Palmer T. The effect of whey protein supplementation with and without creatine monohydrate combined with resistance training on lean tissue mass and muscle strength. *Int J Sport Nutr Exerc Metab* 11: 349-364, 2001

Vukovich, Matthew D. FACSM; Tausz, Shawn M.; Ballard, Tasha L.; Stevermer, Cheryl L.; Gerlach, Amanda M.; VanderWeerd, Marie K.; Binkley, Teresa L.; Specker, Bonny L. Effect of Protein Supplementation During a 6-month Strength and Conditioning Program on Muscular Strength. *Medicine & Science in Sports & Exercise.* 36(5) Supplement:S193, May 2004.

Waterlow JC. The mysteries of nitrogen balance. *Nutr Res* 1999;12:25-54.

Carraro, F., Hartl, W.H., Stuart, C.A., Layman, D.K., Jahoor, F. and Wolfe, R.R. (1990). Whole body and plasma protein synthesis in exercise and recovery in human subjects. *American Journal of Physiology*, 258, E821-E831.

Carraro, F., Kimbrough, T.D. and Wolfe, R.R. (1993). Urea kinetics in humans at two levels of exercise intensity. *Journal of Applied Physiology*, 75, 1180-1185.

Wolfe, R.R., Wolfe, M.H., Nadel, E.R. and Shaw, J.H. (1984). Isotopic determination of amino acid urea interactions in exercise in humans. *Journal of Applied Physiology*, 56, 221-229.

Rand, W. M., Pellett, P. L. & Young, VR (2003) Meta-analysis of nitrogen balance studies for estimating protein requirements in healthy adults. *Am. J. Clin. Nutr.* 77:109-127.

Falvo, Michael J. 1; Hoffman, Jay R. FACSM 1; Ratamess, Nicholas A. 1; Kang, Jie FACSM 1; Wendell, Michael 1; Faigenbaum, Avery FACSM 1; Fry, Andrew C. 2

Effect Of Protein Supplementation On Strength, Power And Body Composition Changes In Experienced Resistance Trained Men: 240 Board #147 9:30 AM - 11:00 AM.

Medicine & Science in Sports & Exercise. 37(5) Supplement:S45, May 2005.

Tomé D., Bos C. Dietary protein and nitrogen utilization. *J. Nutr.* 2000;130:1868S-1873S

Brody T. *Nutritional Biochemistry.* 2nd ed. San Diego: Academic Press; 1999.

Hegsted, D.M. (1978). Assessment of nitrogen requirements. *American Journal of Clinical Nutrition*, 31, 1669-1677.

Tarnopolsky, M.A., MacDougall, J.D. and Atkinson, S.A. (1988). Influence of protein intake and training status on nitrogen balance and lean body mass. *Journal of Applied Physiology*, 64, 187-193.

Tarnopolsky, M.A., Atkinson, S.A., MacDougall, J.D., Chesley, A., Phillips, S. and Schwarcz, H.P. (1992). Evaluation of protein requirements for trained strength athletes. *Journal of Applied Physiology*, 73, 1986-1995.

McArdle, W.D., Katch, F.I., & Katch, V.L. (1999). Sports and exercise nutrition. Philadelphia, PA: Lippincott, Williams, & Wilkins Publishing Co.

Alway, S.E., Grumbt, W.H., Stray-Gundersen, J. and Gonyea, W.J. (1992). Effects of resistance training on elbow flexors of highly competitive bodybuilders. *Journal of Applied Physiology*, 72, 1512-1521.

Wolfe, R.R., Wolfe, M.H., Nadel, E.R. and Shaw, J.H. (1984). Isotopic determination of amino acid urea interactions in exercise in humans. *Journal of Applied Physiology*, 56, 221-229.

Carraro, F., Hartl, W.H., Stuart, C.A., Layman, D.K., Jahoor, F. and Wolfe, R.R. (1990). Whole body and plasma protein synthesis in exercise and recovery in human subjects. *American Journal of Physiology*, 258, E821-E831.

Carraro, F., Kimbrough, T.D. and Wolfe, R.R. (1993). Urea kinetics in humans at two levels of exercise intensity. *Journal of Applied Physiology*, 75, 1180-1185.

Tipton KD, Wolfe RR. Protein and amino acids for athletes. *J Sports Sci*. 2004 Jan;22(1):65-79.

Lemon (2001) Protein requirements of strength athletes. In: Antonio, J., Stout, J. (2001) *Sports Supplements*. Philadelphia, PA: Lippincott, Williams, & Wilkins Publishing Co.

Boirie, Y., Dangin, M., Gachon, P., Vasson, M. P., Maubois, J. L. & Beaufrère, B. (1997) Slow and fast dietary proteins differently modulate postprandial protein accretion. *Proc. Natl. Acad. Sci. USA* 94:14930-14935

Lemon P.W.R. (2000) Beyond the zone: Protein needs for active individuals. *J Am Coll Nutr* 19(5, suppl):513S-521S.

Lemon, P.W.R. and Proctor, D. (1991). Protein intake and athletic performance. *Sports Medicine* 12(5):313-25.

Kreider, R. (1999) Effects of protein and amino acid supplementation on athletic performance. *Sportscience* 3(1), sportsci.org/jour/9901/rbk.html

Batheja, and Stout, 2001 in In: Antonio, J., Stout, J. (2001) *Sports Supplements*. Philadelphia, PA: Lippincott, Williams, & Wilkins Publishing Co.

Phillips, S.M. (2004) Protein Requirements and Supplementation in Strength Sports. *Nutrition* 20: 689–695, 2004

Dangin, M., Boirie, Y., Garcia-Rodenas, C., Gachon, P., Fauquant, J., Callier, P., Ballèvre, O. & Beaufrère, B. (2001) The digestion rate of protein is an independent regulating factor of postprandial protein retention. *Am. J. Physiol.* 280:E340-E348.

Burke, D.G., Chilibeck, P.D., Davidson, K.S., Candow, D.G., Farthing, J. and Smith-Palmer, T. (2001). The effect of whey protein supplementation with and without creatine monohydrate combined with resistance training on lean tissue mass and muscle strength. *International Journal of Sport Nutrition and Exercise Metabolism*, 11, 349-364.

Munro, H. N. (1951) Carbohydrate and fat as factors in protein utilization and metabolism. *Physiol. Rev.* 31: 449–488

Millward., D.J., (2004) Macronutrient Intakes as Determinants of Dietary Protein and Amino Acid Adequacy The American Society for Nutritional Sciences *J. Nutr.* 134: 1588S-1596S, June 2004

CONSOLAZIO, C. F., H. L. JOHNSON, R. A. NELSON, J. G. DRAMISE, AND J. H. SKALA. Protein metabolism during intensive physical training in the young adult. *Am. J. Clin. Nutr.* 28: 29-35, 1975

Ingwall JS. Creatine and the control of muscle-specific protein synthesis in cardiac and skeletal muscle. *Circ Res.* 1976 May; 38(5 Suppl 1):1115-23.

Millar, I.D. Mammary protein synthesis is acutely regulated by the cellular hydration state. *Biochem. Biophys. Res. Commun.* 230:(2)351–355. 1997.

Waldegger, S. Effect of cellular hydration on protein metabolism. *Miner. Electrolyte Metab.* 23:(306)201205. 1997

Wolfe RR. Regulation of muscle protein by amino acids. *J Nutr.* 2002 Oct; 132(10):3219S-24S.

Hakkinen, K., and M. Kallinen. Distribution of strength training volume into one or two daily sessions and neuromuscular adaptations in female athletes. *Electromyogr. Clin. Neurophysiol.* 34:117-124. 1994.